ESD 114

Youth Telephone Survey Ages 10-17 Year 2000-01

Year 2000-0	I	
Youth Characteristics by ESD:	ESD % [95% C.I.] n = 139	State % [95% C.I.] n = 1977
Condon		
Gender Female	51.1 % [41.9,60.3]	49.6 % [46.8,52.4]
Male	48.9 % [39.7,58.1]	50.4 % [47.6,53.2]
Male	40.0 % [00.7 ,00.1]	00.4 70 [47.0,00.2]
Grade		
4th - 8th	48.4 % [39.2,57.6]	54.6 % [51.8,57.4]
9th - 12th	51.6 % [42.4,60.8]	45.4 % [42.6,48.2]
Average weekly spending money	\$15.78 [11.5,20.0]	\$17.24 [16.0,18.5]
	ESD %	State %
Youth Survey Responses by ESD:	[95% C.I.]	[95% C.I.]
Current Tobacco Use (Any type)		
Current User	8.1 % [4.0 , 15.9]	7.6 % [6.3,9.2]
Non-tobacco User	91.9 % [84.1,96.0]	92.4 % [90.8 , 93.7]
Lifetime Cigarette Smoking (Ever smoked at least		
one cigarette)		
Yes	31.1 % [23.1,40.3]	23.5 % [21.3,25.9]
No	68.9 % [59.7,76.9]	76.5 % [74.1,78.7]
140	00.0 70 [00.7 , 7 0.0]	70.0 70 [74.1,70.7]
During the past 7 days, days that someone smoked		
inside your home		
Some days or Every day	20.3 % [13.5, 29.3]	18.4 % [16.4 , 20.7]
None	79.7 % [70.7 , 86.5]	81.6 % [79.3,83.6]
Influences against tobacco use: Parents		
A lot or Some	73.4 % [64.7 , 80.7]	76.2 % [73.7 , 78.5]
Little or None	26.6 % [19.3 , 35.3]	23.8 % [21.5,26.3]
Influences against tobacco use: Avoid future		
health problems		
A lot or Some	91.6 % [84.3,95.7]	87.4 % [85.3,89.2]
Little or None	8.4 % [4.3 , 15.7]	12.6 % [10.8 , 14.7]
	. , 1	. , ,
Influences against tobacco use: Getting caught/		
going to court		
A lot or Some	60.2 % [48.8,70.6]	62.6 % [59.1,66.0]
Little or None	39.8 % [29.4 , 51.2]	37.4 % [34.0 , 40.9]

	ESD % [95% C.I.]	State % [95% C.I.]
Influences against tobacco use: Anti-tobacco clubs/ groups		
A lot or Some	32.1 % [22.5,43.6]	37.5 % [33.9 , 41.3]
Little or None	67.9 % [56.4,77.5]	62.5 % [58.7 , 66.1]
Influences against tobacco use: Tobacco is expensive A lot or Some	33.8 % [23.8,45.6]	30.2 % [26.9,33.7]
Little or None	66.2 % [54.4,76.2]	69.8 % [66.3 , 73.1]
Influences against tobacco use: Don't want to be addicted		
A lot or Some	85.9 % [78.1,91.3]	80.6 % [78.2,82.7]
Little or None	14.1 % [8.7,21.9]	19.4 % [17.3,21.8]
Influences against tobacco use: Setting a bad example for younger kids (Among high school aged youth)		
A lot or Some	77.5 % [66.6,85.6]	69.9 % [66.2 , 73.3]
Little or None	22.5 % [14.4 , 33.4]	30.1 % [26.7,33.8]
Influences against tobacco use: Friends think tobacco use is "uncool"		
A lot or Some	63.5 % [54.1 , 72.0]	61.3 % [58.5 , 64.0]
Little or None	36.5 % [28.0 , 45.9]	38.7 % [36.0 , 41.5]
Influences against tobacco use: Worried about current health		
A lot or Some	85.1 % [77.6,90.4]	80.0 % [77.7,82.2]
Little or None	14.9 % [9.6,22.4]	20.0 % [17.8 , 22.3]
Influences against tobacco use: Don't want to support tobacco industries		
A lot or Some	79.9 % [71.5,86.3]	71.0 % [68.4,73.6]
Little or None	20.1 % [13.7,28.5]	29.0 % [26.4 , 31.6]
Influences against tobacco use: Don't want to expose others to secondhand smoke		
A lot or Some	68.5 % [57.2 , 78.0]	66.3 % [62.7 , 69.7]
Little or None	31.5 % [22.0 , 42.8]	33.7 % [30.3 , 37.3]
"If one of your best friends offered you a cigarette, would you smoke it?" (Youth responding any way except "definitely not" are considered vulnerable)		
Possibly	16.8 % [8.0,31.8]	19.6 % [16.5 , 23.0]
Definitely not	83.2 % [68.2,92.0]	80.4 % [77.0,83.5]
"Do you think teens who smoke are"		
Somewhat or Very popular	47.4 % [35.7,59.4]	35.6 % [32.0 , 39.4]
Somewhat or Very unpopular	52.6 % [40.6,64.3]	64.4 % [60.6,68.0]

	ESD % [95% C.I.]	State % [95% C.I.]
"How risky do you think it is for someone your age to use tobacco?"		
Very risky	77.2 % [67.0,85.0]	79.9 % [76.9,82.6]
Somewhat, Not very, or Not at all	22.8 % [15.0,33.0]	20.1 % [17.4 , 23.1]
"How harmful do you think it is for someone your age to		
smoke 1 to 5 cigarettes per day?"	00 0 0/ [70 4 07 4]	04 0 0/ 170 6 02 4 1
Very harmful Somewhat, Not very, or Not at all	80.8 % [72.4 ,87.1] 19.2 % [12.9 ,27.6]	81.0 % [78.6,83.1] 19.0 % [16.9,21.4]
Somewhat, Not very, or Not at all	19.2 /0 [12.9 , 27.0]	19.0 /0 [10.9 , 21.4]
"There are so many things that cause cancer, tobacco use is not going to make a any difference."		
Somewhat or Strongly agree	14.4 % [8.8,22.9]	16.2 % [14.3 , 18.5]
Somewhat or Strongly disagree	85.6 % [77.1,91.2]	83.8 % [81.5,85.7]
"In general, what percentage of people your age	24.0.0/ [20.5.20.7]	0470/1000 0001
smoke cigarettes, in your opinion?"	31.6 % [26.5 , 36.7]	31.7 % [30.2 , 33.2]
"In general, what percentage of people your age use		
smokeless tobacco, in your opinion?"	14.1 % [10.8 , 17.5]	15.0 % [13.9 , 16.1]
"Tobacco companies should have the same rights to		
advertise their products as other companies."		
Probably or Definitely Agree	19.9 % [13.2,28.9]	29.1 % [26.7,31.8]
Probably or Definitely Disagree	80.1 % [71.1,86.8]	70.9 % [68.2,73.3]
"How likely would you be to wear something that has		
a tobacco company logo or picture on it?"	400/1044001	700/150001
Somewhat or Very likely Somewhat or Very unlikely	4.9 % [2.1,10.9] 95.1 % [89.1,97.9]	7.0 % [5.6,8.6] 93.0 % [91.4,94.4]
Somewhat or very unlikely	95.1 % [69.1 , 97.9]	93.0 % [91.4,94.4]
"How likely would you be to wear something that has an		
ANTI-tobacco message/logo on it, like a hat or t-shirt?" Somewhat or Very likely	50.1 % [40.8,59.3]	54.8 % [52.0 , 57.6]
Somewhat or Very likely	49.9 % [40.7,59.2]	45.2 % [42.4,48.0]
contentation very animoly	10.0 70 [10.7 ,00.2]	10.2 /0 [12.1 , 10.0]
"Are there places near your school where people your age get together and smoke?"		
Yes	55.3 % [43.2,66.8]	49.8 % [46.0,53.6]
No	44.7 % [33.2 , 56.8]	50.2 % [46.4,54.0]
"During the last school year did you practice ways to say 'No' to tobacco, for example, in role playing?"		
Yes	43.5 % [32.7 , 54.9]	54.6 % [50.9,58.3]
No	56.5 % [45.1,67.3]	45.4 % [41.7,49.1]
	• •	• ′ •

	ESD % [95% C.I.]	State % [95% C.I.]
"During the last school year, how many times did you receive information in classes about the health hazards and dangers of tobacco use?"		
Once or None	30.8 % [21.4,42.1]	27.2 % [24.1 , 30.6]
2-3 times	26.7 % [17.8,38.1]	27.1 % [23.7,30.7]
4 or more times	42.5 % [31.6,54.2]	45.7 % [42.0,49.4]
"Did this tobacco education you received during the last year make you think about whether or not you should smoke or use chewing tobacco?" (Among youth who had 1+ days of education)		
Probably or Definitely yes	71.8 % [58.5 , 82.1]	76.7 % [73.2,79.9]
Probably or Definitely no	28.2 % [17.9 , 41.5]	23.3 % [20.1 , 26.8]
"During the past school year, did you participate in any activities to encourage other youths to say 'No' to tobacco – for example through youth groups, health fairs, or presentations to younger children?" Yes	20.0 % [10.9,33.6]	23.3 % [19.3,28.0]
No	80.0 % [66.4,89.1]	76.7 % [72.0,80.7]
"Have either of your parents or guardians talked to you about tobacco use?" Yes	88.5 % [81.8,92.9]	84.6 % [82.4,86.6]
No	11.5 % [7.1 , 18.2]	15.4 % [13.4 , 17.6]
"Have your parents specifically told you that they do not want you to use tobacco?"		
Yes	87.5 % [41.9,60.3]	83.7 % [46.8,52.4]
No	12.5 % [39.7 , 58.1]	16.3 % [47.6,53.2]
"During the past 30 days, how often did you see commercials on TV about the dangers of tobacco use or about not smoking?"		
At least once per week	81.2 % [72.5,87.7]	81.2 % [79.0 , 83.3]
Less than once per week	18.8 % [12.3 , 27.5]	18.8 % [16.7 , 21.0]
"Have any of the advertisements you've seen made you think about whether or not you should use tobacco?"		
Yes	62.9 % [53.3 , 71.6]	68.4 % [65.6,71.0]
No	37.1 % [28.4,46.7]	31.6 % [29.0,34.4]